

Deep River/ Turkey Creek Watershed Plan
City of Hobart, Indiana
--Final Plan--
June 2002

Section X: Literature Cited

- Allan, J.D. 1995. Stream Ecology. Chapman and Hall, New York.
- Adams, J. 2000. North America during the last 15,000 Years. Oak Ridge National Laboratory, Oak Ridge, Tennessee.
- APHA et al. 1995. Standard Methods for the Examination of Water and Wastewater, 19th edition. American Public Health Association, Washington, D.C.
- Applied Ecological Services (AES). 2001. Watershed diagnostic study of the Little Calumet-Galien River Watershed. AES # 99-604.
- Bevans, H.E., Lico, M.S., and Lawrence, S.J., 1998, Water Quality in the Las Vegas Valley Area and the Carson and Truckee River Basins, Nevada and California, 1992-96, on line at <URL: <http://water.usgs.gov/pubs/circ1170>>, updated 19 March 1998*
- Hilsenhoff, W.L. 1988 Rapid field assessment of organic pollution with a family-level biotic index. Journal of the North American Benthological Society. 7(1):65-68.
- Hoggatt, Richard E. 1975. Drainage Areas of Indiana Streams. Prepared by U.S. Geological Survey in conjunction with Indiana Department of Natural Resources.
- Horner, R.H., J.J. Skupien, E.H. Livingston, and H.E. Shaver. 1994. Fundamentals of Urban Runoff Mangement: Technical and institutional Issues, Terrene Institute, Washington D.C. p. 52-53.
- IDEM. Unpublished. Scoring criteria for the family level macroinvertebrate Index of Biotic Integrity (mIBI). Biological Studies Section, Indianapolis.
- Indiana Administrative Code. 2000. Indiana Administrative Code, Article 2, Water Quality Standards.
- Indiana Department of Environmental Management. 2002. DRAFT Watershed Restoration Action Strategy for the Little Calumet-Galien Watershed
- Indiana Department of Natural Resources. 1994. Water Resource Availability in the Lake Michigan Region, Indiana.
- Karr, J.R. 1981. Assessment of biotic integrity using fish communities. Fisheries (Bethesda) 6(6): 21-27.
- Karr, J.R. and D.R. Dudley. 1981. Ecological perspective on water quality goals. Env. Mgmt. 5: 55-68.
- NRC 1997
- NRI 1992
- Ohio EPA. 1989. Biological criteria for the protection of aquatic life: Volume III. Standardized biological field sampling and laboratory methods for assessing fish and macroinvertebrate communities. Division of Water Quality Monitoring and Assessment, Columbus Ohio.

Deep River/ Turkey Creek Watershed Plan
City of Hobart, Indiana
--Final Plan--
June 2002

- Ohio EPA. 1999. Association between nutrients, habitat, and the aquatic biota in Ohio rivers and streams. Ohio EPA Technical Bulletin MAS/1999-1-1, Columbus.
- Ohio EPA. 1999. Association between nutrients, habitat, and aquatic biota in Ohio rivers and streams. Ohio EPA Technical Bulletin MAS/1999-1-1, Columbus.
- Omernik, J.M. and A.L. Gallant. 1988. Ecoregions of the upper Midwest States. USEPA, ERL, Corvallis, OR. EPA/600/3-88/037.
- Petty, T.O. and M.T. Jackson. 1966. Plant Communities in 1816-1966: Natural Features of Indiana. Indiana Academy of Science. Indianapolis, Indiana
- Phillips, N., Kelly, M., Taggart, J., and Reeder, R. 2000. The Lake Pocket Book. Produced by the Terrene Institute in cooperation with US Environmental Protection Agency Region 5
- Rankin, E.T. 1989. The qualitative habitat evaluation index (QHEI): rationale, methods, and application. Division of Water Quality Planning and Assessment, Columbus.
- Rankin, E.T. 1995. Habitat indices in water resource quality assessment, in: W.S. Davis and T. Simon (eds.). Biological Assessment and Criteria: Tools for Risk-based Planning and Decision Making. CRC Press/Lewis Publishers, Ann Arbor, pages 181-208.
- Robertson, B. 1971. Lake George, Fish Management Report. Indiana Department of Natural Resources. Indianapolis Indiana.
- Schueler, T.R. 2000. Hydrocarbon hotspots in the urban landscape. Watershed Protection Techniques. 1(1):3-5.
- Simon T.P. 1991. Development of Index of Biotic Integrity expectations for the Ecoregions of Indiana. I. Central Cornbelt Plain. U.S. Environmental Protection Agency. Region V. Water Division, Watershed and Non-Point Source Branch. Chicago, IL. EPA 905/R-96/002.
- U.S. Geological Survey. 2002. Real-time data for (USGS 04093000) Deep River at Lake George Outlet, Hobart, Indiana. [web page] <http://waterdata.usgs.gov/in/nwis/uv> [Accessed January 29, 2002 and April 4, 2002].
- USDA, SCS, 1971. Soil Survey of Lake County, Indiana
- USDA, SCS, 1981. Soil Survey of Porter County, Indiana
- USDA. 1997. Lake County Agriculture Census
- Waters, T.F. 1995. Sediment in Streams: Sources, Biological Effects, and Control. American Fisheries Society Monograph 7. Bethesda, Maryland, 251pp.

**Deep River/ Turkey Creek Watershed Plan
City of Hobart, Indiana
--Final Plan--
June 2002**

Watson, T. June 6, 2002. Dog waste poses threat to water. USA TODAY Newspaper.

Lake County Parks and Recreation Department (LCPRD). 1999. 1998-2002 Lake County Parks and Recreation Open Space Master Plan Update.